



Nonionic Surfactants

SINOPOL 170 Series , Polyoxyethylene Oleate

Trade Name	Form(30°C)	Packing(kg)	Color(30°C)	pH(1%aq.)	Specific Gravity (30°C)	Moisture (%)	Hydroxyl Value (mg KOH/g)	Saponification value (mg KOH/g)	HLB
SINOPOL 170	Liquid	190 Drum	G-10 Max.	7.0-8.0	0.960-0.980	0.5 Max.	118-128	118-128	7.7
SINOPOL 170EH	Liquid	200 Plastic Drum	G-5 Max.	5.0-7.0	—	0.3 Max.	102-112	102-112	9.1
SINOPOL 170F	Liquid	190 Drum	G-10 Max.	6.0-8.0	0.975-0.995	0.5 Max.	98-108	98-108	9.7
SINOPOL 170I	Liquid	200 Drum	G-10 Max.	6.0-8.0	1.005-1.025	0.5 Max.	80-90	80-90	11.7
SINOPOL 170N	Liquid	200 Drum	G-10 Max.	6.0-8.0	1.030-1.050	0.5 Max.	60-70	60-70	13.6