



Nonionic Surfactants

SINOPOL E8000 Series , Polyoxyethylene 2-Ethylhexyl Ether

Trade Name	Form (30°C)	Packing (kg)	Color (30°C)	pH (1%aq.)	Specific Gravity (30°C)	1% aq. Cloud Point (°C)	Moisture (%)	Hydroxyl Value (mg KOH/g)	HLB
SINOPOL E8002	Liquid	180 Drum	A-60 Max.	5.0-7.0	0.910-0.930	—	0.5 Max.	244-264	8.1
SINOPOL E8002H	Liquid	180 Drum	A-60 Max.	5.0-7.0	0.926-0.946	—	0.5 Max.	226-240	9.2
SINOPOL E8008	Liquid	200 Drum	A-60 Max.	5.0-7.0	1.010-1.030	78-82	0.5 Max.	108-116	14.8
SINOPOL E8011-S8	Liquid	190 Plastic Drum	A-60 Max.	5.0-7.0	1.042-1.062	—	80-82(aq)	85-91 (100%)	15.8
SINOPOL E8015	Paste	200 Drum	A-60 Max. (40°C)	5.0-7.0	1.040-1.060 (40°C)	①66-70	0.5 Max.	71-77	16.7
SINOPOL E8020-S8	Liquid	200 Plastic Drum	A-60 Max.	5.0-7.0	1.065-1.085	—	79-81(aq)	52-58	17.4

① 1% solution in 5% Na₂SO₄ aqueous solution